



- BY AND FOR CHEFS -

---

Milano

# Milano

More fashionable overall appearance design, upgraded square glass, Classic rectangular edge design, noble and elegant, brand flagship first choice.

The back sliding door is upgraded to acrylic material, more lighter, more better visual permeability.



Ventilated



Auto. Defrosting





Temperature -16~ -18~



Climate Class 4: 30 / 55%










Model	Dimensions L*W*H (mm)	Working temp (°C)	Weight (Net / Gross)(Kg)	Voltage V/Ph/Hz	Input power (W)
milano 12	1238*1097*1209	-16°C~18°C	230/330	220/1/50	1500
				220/1/60	1600
milano 16	1568*1097*1209	-16°C~18°C	280/400	220/1/50	1700
				220/1/60	1900
milano 18	1733*1097*1209	-16°C~18°C	340/480	220/1/50	1800
				220/1/60	2000
milano 24	2228*1097*1209	-16°C~18°C	450/600	380/3/50	2400
				400/3/60	2800

## Pans or round buckets Configuration







New Professional Gelato

# Milano

Fully enclosed refrigeration compressor unit:  
high efficiency, low consumption, low noise,  
buy rest assured, comfortable to use.  
High brightness LED lighting system, so that  
delicious clearly visible.

Customized metal paint, color, LOGO, sticker  
pattern, to create a unique sales scene.  
Wheel foot double configuration, easy to  
move at the same time, stable and durable.

Gelato





-BY AND FOR CHEFS-